Α	D			

COOPERATIVE AGREEMENT NUMBER DAMD17-96-2-6015

TITLE: Female Reproductive Effects of Exposure to Jet Fuel at U.S. Air Force Bases

PRINCIPAL INVESTIGATOR: Grace K. Lemasters, Ph.D.

CONTRACTING ORGANIZATION: University of Cincinnati Cincinnati, Ohio 45267-0553

REPORT DATE: November 1998

TYPE OF REPORT: Annual

PREPARED FOR: U.S. Army Medical Research and Materiel Command

Fort Detrick, Maryland 21702-5012

DISTRIBUTION STATEMENT: Approved for public release;

distribution unlimited

The views, opinions and/or findings contained in this report are those of the author(s) and should not be construed as an official Department of the Army position, policy or decision unless so designated by other documentation.

19990415032

REPORT DOCUMENTATION PAGE

Form Approved
OMB No. 0704-0188

Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Lefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503.

1. AGENCY USE ONLY (Leave blan	2. REPORT DATE November 1998	3. REPORT TYPE AND DATES Annual (15 Oct 97	
4. TITLE AND SUBTITLE Female Reproductive Ef U.S. Air Force Bases		Jet Fuel at	NDING NUMBERS 17-96-2-6015
6. AUTHOR(S) Grace K. Lemasters, P	h.D.		
7. PERFORMING ORGANIZATION N University of Cincinna Cincinnati, Ohio 4526	iti		FORMING ORGANIZATION PORT NUMBER
9. SPONSORING/MONITORING AG U.S. Army Medical Rese Fort Detrick, Maryland	earch and Materiel Con		ONSORING/MONITORING SENCY REPORT NUMBER
11. SUPPLEMENTARY NOTES			
12a. DISTRIBUTION / AVAILABILIT	Y STATEMENT	12b. D	ISTRIBUTION CODE
Approved for public re	elease; distribution u	unlimited	
One of the most prevale consumption ranks in the matic hydrocarbons and including menstrual distenses whether or not place from fuel exposur measurements of jet fue ities. Great strides hactivities at each base of request. Ten bases, have encrolled 165 wome technique to measure in concentrations of tolue over 100 ppb.	ne billions of gallons traces of metals that corders, infertility, enlisted female Air Fwomen are experiencing these. This study evaluate been made thus far has been identified thus far, have agreen into the study. The ternal dose levels.	thave potential adverse spontaneous abortions force personnel is 27.0 mg menstrual systems relates environmental and the course of each women. The number of women and base commanders had to participate and lis team also developed Specifically, the breathing to the second specifically, the breathing and specifically, the second specifically specifically.	ed of aliphatic/aro- se effects on health , and fetal effects. 6. This study ad- elated to their work- dinternal dose an's usual work active en in pertinent job ave received letters have been visited. We diand refined a new ath data indicates
14. SUBJECT TERMS Defense		<u>-</u>	38
Epidemiology, Fuels, Br Reproduction	eath Analysis, Hormor	nes, Menses,	16, PRICE CODE
17. SECURITY CLASSIFICATION 1 OF REPORT	8. SECURITY CLASSIFICATION OF THIS PAGE	19. SECURITY CLASSIFICATION OF ABSTRACT	20. LIMITATION OF ABSTRAC
Unclassified	Unclassified	Unclassified	Unlimited

FOREWORD

Opinions, interpretations, conclusions and recommendations are those of the author and are not necessarily endorsed by the U.S. Army.
Where copyrighted material is quoted, permission has been obtained to use such material.
Where material from documents designated for limited distribution is quoted, permission has been obtained to use the material.
Citations of commercial organizations and trade names in this report do not constitute an official Department of Army endorsement or approval of the products or services of these organizations.
In conducting research using animals, the investigator(s) adhered to the "Guide for the Care and Use of Laboratory Animals," prepared by the Committee on Care and use of Laboratory Animals of the Institute of Laboratory Resources, national Research Council (NIH Publication No. 86-23, Revised 1985).
For the protection of human subjects, the investigator(s) adhered to policies of applicable Federal Law 45 CFR 46.
In conducting research utilizing recombinant DNA technology, the investigator(s) adhered to current guidelines promulgated by the National Institutes of Health.
In the conduct of research utilizing recombinant DNA, the investigator(s) adhered to the NIH Guidelines for Research Involving Recombinant DNA Molecules.
In the conduct of research involving hazardous organisms, the investigator(s) adhered to the CDC-NIH Guide for Biosafety in Microbiological and Biomedical Laboratories.

PI - Signature Date

Table of Contents

Pag	ge #:
Front Cover	.1
Report Documentation Page	.2
Foreword	3
Table of Contents	4
Background	5
Introduction	.5
Overview of Methods & Procedures	6
Base & Subject Recruitment Internal Dose Exposure Measures Problems Encountered & Revisions in the Analytical Protocol for Breath Analysis. Final Analytical Protocol	7
Results & Discussion of SOW Activities	10
Conclusions	15
Listing of Paid Personnel	16
References	16
Appendicies	.17

BACKGROUND:

Introduction:

Jet fuel (JF) is one of the most common chemical exposures at all Air Force Bases. It constitutes at least two thirds of the turbine fuels used by the Department of Defense (DoD)¹. Jet fuel consists of a variable mixture of hydrocarbon compounds whose specifications are based on burn characteristics, and additives used to inhibit icing, corrosion, and static. JP-8 is a turbine engine fuel recently replacing JP-4. JP-8 is a kerosene-based distillate with a higher flash point, higher chain hydrocarbons and no/lower benzene; it is, therefore, presumed to be safer to use than its JP-4 predecessor.

The reproductive and developmental toxicity of the complex streams that comprise fuels has not yet been established ^{2,3}. The literature does, however, contain both animal and human studies of exposure to various fuels and primary fuel components. While the paraffins and olefins, with the exception of n-hexane, are believed to be nontoxic at low doses, certain organic compounds in fuels and emissions are known or suspected human reproductive or developmental toxicants⁴.

Hypothesis and Technical Objectives:

The primary null hypothesis of this study is that there will be no statistically significant difference in hormonal patterns and menstrual function between women exposed to jet fuel and an unexposed group. The secondary null hypothesis is that there will be no significant racial differences in either internal dose or reproductive health response to JF exposure.

- A. **Technical Objective 1** To identify and recruit 100 JF-exposed women (50 Caucasians, 50 minority) and 100 unexposed women group-matched with respect to race and age.
- B. **Technical Objective 2** To characterize workplace exposures using occupational histories (for duration of JF exposure), personal IH exposure monitoring, and breath analysis as a measure of internal dose.
- C. **Technical Objective 3** To determine if hormonal patterns differ significantly between the JF exposed and unexposed groups; to determine if there are effect differences between racial groups by collecting and analyzing daily urine and saliva samples.
- D. Technical Objective 4 To determine if prevalences of menstrual disorders differ significantly between the JF-exposed and unexposed groups; to determine if there are effect differences between racial groups by collecting three months of menstrual cycle diary information.

Year 01 Annual Report:

Page two of the DoD's "Annual Report Review" dated Nov. 1997 delineated Year 01 "Statement of Work" (SOW) tasks #12-18 and #20 as "not addressed". Please note that, while the SOW referenced in the review was approved by the Grants Officer on June 30, 1997, the request for funds to pay for the indirect costs associated with shifting our travel to Year 01 was denied ten months into Year 01. Therefore our travel plans reverted to those outlined in the original SOW and our first "Annual Report" addressed the original SOW. Subsequent to the first report, we have addressed the revised tasks for Year 01 as follows:

Tasks 12 & 13: Collection of daily urine and saliva samples was piloted by five University of Cincinnati volunteers during 1997. Volunteers then provided feedback about the process and made suggestions for improvement. This information was used to develop the final protocol and instructions for urine and saliva sample collection and for development of the final version of the diary (sample collection items). The final version of the diary was submitted Year 01. Final instructions for urine and saliva collection (Appendix I) and the diary instrument (Appendix II) are attached for your reference.

Task 14: Industrial hygiene (IH) area and personal sampling was not initiated during Year 01 of the study at the first AFB, but rather during Year 02 at AFBs five and six. These samples were discovered to be invalid due to technical problems described later in the "Results and Discussion of SOW Activities" section of this report. A subgroup of IH samples from AFBs five and six were recollected during recent revisits to those AFBs. Subsequently, a subset of IH samples obtained from women at AFBs five through ten have been obtained, but not analyzed. These results will be available in the Year 03 report.

<u>Tasks 15-18, 20</u>: Implementation of these tasks is described in the Year 02 "Results and Discussion of SOW Activities" section of this report.

OVERVIEW OF METHODS AND PROCEDURES:

Air Force Base & Subject Recruitment (Year 01 SOW Item # 16 & 17):

Recruitment of Air Force bases (AFBs) was initiated during Year One with requests for Base Commander permission to visit *four* AFBs as planned in the proposal. Our original criteria for base selection involved choosing AFBs with the highest number of African American women in potentially exposed jobs as defined by Air Force Service codes (AFSCs) and the Occupational Series Codes (OS). Recruitment of selected AFBs involved preliminary identification of a contact-person within each base's Bioenvironmental Engineering group and mailing letters requesting study approval to each of the Base Commanders. Recruiting and scheduling bases involved follow-up activities, such as confirming permission, scheduling base visits around exercises and

deployments, identifying office space, arranging briefings and accessing phone recruitment lists. These activities were coordinated through contacts at each base.

Demographic data were obtained from the AF Personnel Center that listed the number of women in job codes associated with fuel exposure as described in the DoD-funded feasibility study by race, age and base (Puhala et. al, 1997). A second tier of demographic and recent work history data were the recruitment lists that were later obtained from Bioenvironmental Engineering contacts at each approved base after the Commander had given his approval. The bases' recruitment lists, always yielded a smaller number of exposed women than the AF demographic data had indicated. Once we were on-site, it became apparent there were even fewer women who were *currently* exposed than were projected from available preliminary demographic information. Consequently, recruitment was much more difficult and challenging than could have been anticipated.

In order to compensate for the reduced number of exposed women at each base, we recruited additional AFBs. Unfortunately, one key base among the sites having the largest number of women declined to participate, but all other bases contacted granted approval. The SOW allowed for the recruitment of participants from a total of four bases during years 01 and 02. We have, at this time, recruited women from ten Air Force bases. These bases included Davis-Mothan, Hill, Langley, Luke, Moody, Nellis, Seymour-Johnson, Shaw, Pope and Warner-Robins AFBs. While the primary criteria for selection of the additional bases was jet fuel exposure and race, a secondary consideration in scheduling was the proximity of bases to each other in order to reduce travel-associated costs that were not budgeted for in the grant.

Individual women were contacted both immediately before and during each base visit by telephone and in-person in order to ascertain their interest in and possible eligibility for study participation. The study requirements and the voluntary nature of participation were stressed. Women who indicated a desire to participate were scheduled for appointments. When they arrived for their appointments, a thorough review of study participation issues and eligibility criteria was provided and informed consent was obtained. During the personal interview, administrative and questionnaire forms were completed, written procedures for the home collection of urine and saliva samples were explained, daily diaries were reviewed, a work week breath sample for analysis was obtained and verbal and written instructions for collection of a Monday morning breath sample provided. Height and weight also were measured. Appointments were scheduled to allow 80 minutes for these activities

Internal Dose Exposure Measures (SOW Item #15 – Year 01 & #2 & #6 – Year 02):

Breath samples were obtained twice (See Appendix 3 for protocal). The first breath sample, collected to assess fuel analyte levels in the vascular organ compartment, was provided by the participant during the initial interview on a weekday. A second

sample was collected to assess analyte levels in the fat compartment; these samples were collected in the a.m. when participants arose at home on Monday morning.

The breath samples were processed in the field by collecting one (1) liter of expired breath in a Tedlar bag which was subsequently introduced onto a Carbotrap 300 tube packed with four types of adsorbent materials which have varying degrees of affinity for the targeted analytes. An in-line filter composed of a desiccant (calcium chloride) is used to remove moisture from the expired breath while it is being introduced onto the sampling media. The tubes are immediately capped and sealed with teflon ferrules and refrigerated until overnight delivery. When received at the lab, the sampling tubes are immediately placed in the refrigerator until analysis. Analysis of the collection media is accomplished by thermally desorbing the stainless steel tubes and transporting the volatilized analytes into the gas chromatograph via the heated transfer line. The reusable sampling tubes are cleaned twice by heating them to their maximum allowable temperature while UHP nitrogen or helium is passed through the tubes at 40 mls. per minute.

Problems Encountered & Revisions in the Analytical Protocol for Breath Analysis:

A number of problems were encountered during Year 02 with the system for thermal desorption of exhaled breath analysis which were not apparent during Year 01 pilot testing. Breath samples from 75 women collected at six AF bases (i.e., Davis-Mothan, Nellis, Seymour-Johnson, Warner-Robins, Hill and Luke) were already analyzed at the time these problems were detected. These samples were rendered invalid. In order to obtain valid samples, two of the AF bases with the largest number of participants, Warner-Robins and Seymour-Johnson AFBs, were revisited (in tandem with visits to new AF bases). Breath samples from 22 women were recollected. In addition, revisits to Davis-Mothan and Luke AFBs have been scheduled in late October, 1998, with the goals of recollecting breath samples and recruiting new subjects. We hired a consultant (not budgeted for in the study) to conduct quality control and eliminate future laboratory error during the analysis of breath samples.

Additional DoD funding to permit further travel, subject recruitment and sample analysis were sought, but was denied. The budget for this study has been extremely tight because of the need to hire additional technical assistance for the breath analysis and equipment for the breath analysis and the need to visit additional bases.

Original Analytical Protocol:

The original system consisted of a Tekmar LSC 3000 Purge and Trap interfaced with a Photovac 10S Plus Portable Gas Chromatograph. The desorbed tubes were then cleaned with a Dynatech Model 60 six position thermal conditioning unit. The Photovac GC utilizes a UV lamp for the detection of ionizable compounds. The detector amplifier

employs a gain amplifier which displays an offset value when the detector is saturated. By closely monitoring the offset level in the detector status box, it was determined that the detector was not able to perform the analysis as previously assumed. The Photovac GC also employed a 10 meter, .530 mm ID column for the resolution of the BTEX (benzene, toluene, ethylbenzene, and xylenes) components; this system also proved to be inadequate for the separation of the individual components.

Approximately 5 weeks were dedicated to making the Photovac unit operational when it was decided to use a HP 5890 Series II Gas Chromatograph to investigate the possibility of achieving the low detection levels needed with a flame ionization detector (FID). The FID would give the extended linear range that was needed with some samples that were known to contain high levels of organic constituents. A 30 meter. .45mm ID. DB-VRX column was used to separate the thermally desorbed components in the sampling media; a thick wall coating (2.54 um) was used to optimize chromatographic banding thereby concentrating analytes and lowering detection limits. Many modifications of the carrier gas system were needed before the heated transfer line of the purge and trap unit could be directly interfaced with the new DB-VRX column. This required the use of specialized tools and fittings which had to be shipped in from various locations; finally, a zero dead volume (ZDV) union was fitted to the 1/16 inch nickel tubing of the heated transfer line and the .45 mm glass tubing of the column. The ZDV was a critical component in the sampling path that had to be perfectly installed. Every time the ZDV was opened and readjusted, the column had to be purged overnight. thereby losing valuable method development time.

The Purge and Trap unit was then determined to be inoperable; when purging the system with inert helium gas, the analytes were stripped from the sampling media and lost. Purging the lines was required to prevent reactive oxygen from entering the heated column where it would degrade the column coating used for the separation of the analytes. The needle valve in the trap pressure control assembly was not functioning correctly and the pressure gauge had a line blockage; this was a very difficult problem to identify and locate and required multiple trips to the Tekmar repair facility.

Revised Analytical Protocol:

Because of the above problems, samples from women with and without fuel exposure were lost. After months of setbacks, the system was finally operable and optimization of the sample path could begin. The elimination of cold spots in the desorb path was accomplished by shortening the tubing and raising the valve oven temperature by 50 C°. The desorb time was extended to 4 minutes at 230 C° and a .5 minute dry purge of the path was determined to be adequate with a back pressure on the trap of 5 psi. The thermocouple on the 2 and 5/8 inch trap furnace went out and the furnace had to be replaced with a custom built replacement, not a Tekmar stock item. Peak resolution was further improved by optimizing the fuel gas (hydrogen) to carrier gas (helium) ratio.

Approximately 4 to 5 months were required to develop this method due to the inability of the Photovac GC to resolve or detect the compounds of interest. Development was further hindered by the incapacity of the purge and trap unit to hold a back-pressure on the trap thereby allowing the analytes to be stripped from the sampling media during the purge cycle.

Final Analytical Protocol:

Analysis according to the revised protocol is accomplished by thermal desorption of the SS tubes with a Tekmar 3000 Purge and Trap. The instrument is modified by placing the sampling tubes in line where the trap is normally located. A 2.5 inch furnace is used to heat the tubes to 225 degrees Celsius during the preheat and they are desorbed for four minutes at 230 degrees Celsius. Removal of oxygen from the tubing is accomplished by a 30 second dry purge while maintaining the back pressure in the trap at 5 psi. The heated analytes are swept off the sampling media by UHP helium at a flow rate of 13 mls per minute and into the nickel tubing of the transfer line which is maintained at 150 degrees Celsius. The transfer line is directly connected to the column by a zero dead volume union. The column inlet is heated to 275 degrees Celsius to eliminate and cold spots in the ZDV union. The analysis is performed by using a Hewlett-Packard Model 5890 Series 2 Gas Chromatograph connected to a Hewlett-Packard Model 3396 Integrator. A DB-VRX (30 meter, .45mm ID, 2.54 micron film thickness) column is used to separate and focus the analytes. An FID detector is used to quantify the components as they exit the column. FID sensitivity was accomplished by optimizing the hydrogen fuel /carrier gas composition. The GC operating parameters are:

Oven: 45°, hold 3 minutes to 80° at 3.5° per minute, hold 0

minutes, to 185° at 40° per minute, hold 1 minute

Inlet: 275°

Detector: 300°

Carrier flow: Helium @ 13 mls per minute

Detector: FID, make up flow @ 9 mls per minute

RESULTS AND DISCUSSION OF SOW ACTIVITIES (Year 02):

This section of the report details how each activity was addressed, and the results of each activity are supplied. There were eight SOW activities for Year 02. We will begin by providing background on study participation issues relevant to data collection and laboratory analysis at the *ten* (not four) AFBs. Subject recruitment occurred prior to shipping samples (SOW #1,3 & 8), therefore the SOW activities are presented in sequential order as the tasks were implemented, rather than numerical order.

Year 02 SOW Items #2 and #6:

Year 02 items two and six were as follows:

- 2. Perform items 15-19 (see SOW Year 01) at Base 3 on approximately 50 women (months 15-18).
- 6. Perform items 15-19 (see SOW Year 01) at Base 4 on approximately 50 women (months 21-24).

Items 15-19 in the SOW refer primarily to subject participation activities that were enumerated in Year 01 of that document. These activities included conducting breath analysis sampling (Item #15), administering occupational and menstrual history questionnaires (Item #16), implementing menstrual diaries and collecting daily urine and saliva samples (Item #17), shipping samples (Item #18) and preparing the annual report (Item #19).

We have thus far contacted approximately 679 women. Of those 679 women, 165 (24.3%) were eligible and participated. Of the remaining potential subjects, 358 (52.7%) did not meet our eligibility requirements, 131 refused (19.3%), and 25 (3.7%) were no shows for various reasons on the day of the interview. In addition to the 679 females contacted, and additional 264 women were unavailable when phone contact was attempted due to their being absent (i.e., TDY, deployed, on leave, on vacation, etc.) or no longer at the AFBs. Table 3 below summarizes the outcomes of recruitment attempts for all 943 women that we sought in-person and/or by phone.

Table 3

Recruitment Status of Potential Subjects by Participation Outcome Category

Recruitment Outcome:	Number
Eligible, participated:	165
Eligible, declined participation:	131
Ineligible:	358
Scheduled, but no shows:	25
Unavailable (absent or gone):	264
Totals	943

Table 4 describes the participating bases by exposure status of each subject. As can be seen in Table 4 there are thus far 61 exposed and 104 unexposed subjects. There are 64 minority and 101 non-minority female subjects.

Table 4

PRELIMINARY PARTICIPATION ESTIMATES BY EXPOSURE STATUS & BASE

BASE	LOCATION	Exposed	Non-exposed
Davis	AZ	9	3
Hill	UT	5	16
Luke	AZ	9	10
Langley	VA	5	12
Moody	GA	4	10
Nellis	NV	5	3
Pope	NC	3	2
Robins	GA	12	22
Seymour Johnson	NC	5	17
Shaw	SC	4	9
Total (10 Bases)		61	104

During the trips scheduled for late October, 1998, we will continue to conduct recruitment, obtain breath samples, administer occupational and menstrual history questionnaires, and distribute study materials to participants (i.e., urine and saliva collection kits and daily diaries. We anticipate that collection of urine and saliva samples will continue until January of 1999. However, due to no remaining budgeted travel funds we will be unable to recruit any additional subjects.

Analysis of Breath Samples:

Results of the breath samples analyzed to-date using the revised laboratory analytical protocol are preliminary. The breath data indicates concentrations of toluene and o-xylene ranging from 10 to 80 ppb and m/p-xylene is found to range over 100 ppb. Ethylbenzene concentrations are relatively lower. Benzene, if present, is obscured by an early eluter in extremely high concentration; this early eluter is assumed to be heptane or trimethylbenzene. Rarely, benzene is detected in relatively low concentrations. There is a very large peak later in the spectrum that is assumed to be nonane or decane. This peak serves as a very good internal standard that is indicative of shifting retention times. Further studies are currently in progress to determine the exact nature of these unknown

compounds. Optimization of chromatographic data are currently performed on an electronic integrator. Our Department has agreed to purchase a data acquisition package for additional breath analyses in this study at a cost of \$5,000.

SOW Items #1, #3 & #8:

- 1. Ship samples to NIOSH; perform laboratory analysis of IH and biological samples collected at Base 2; inventory and organize urine samples; store/conduct urinary LH & FSH fluoroimmunoassays; store/conduct urinary E_13G and Pd3G fluoroimmunoassays; store/conduct creatinine assays (months 13-16)
- 3. Ship samples to NIOSH; perform laboratory analysis of IH and biological samples collected at Base 3; inventory and organize urine samples; conduct urinary LH & FSH fluoroimmunoassays; conduct urinary E₁3G and Pd3G fluoroimmunoassays; conduct creatinine assays (months 16-19).
- 8. Ship samples to NIOSH; perform laboratory analysis of IH and biological samples collected at Base 4; inventory and organize urine samples; conduct urinary LH & FSH fluoroimmunoassays; conduct urinary E₁3G and Pd3G fluoroimmunoassays; conduct creatinine assays (months 23-25)

A subgroup of women have supplied samples at this time. As described in Table 5, valid breath workweek breath samples (internal dose) are available from 80 women; biological samples for hormone analysis have been received from 94 women (32 additional women are still collecting samples). The hormone samples have been received and inventoried at NIOSH by Dr. James Kesner. Due to the extended sample collection timeline necessitated by the inclusion of six additional bases, the laboratory analysis of the samples will take place during Year 03 beginning in February. In order to assure the quality of sample analyses, it is necessary that all the urine and saliva samples be analyzed using reagents from the same lot.

Table 5
Summary of The Number of Participants Supplying Study Materials To-date,
Including Questionnaires, Urine and Breath Samples*

Study Materials:	Exposed	Non-Exposed	Total
Questionnaires:	61	104	165
Total Hormone (Received and Pending):	46	80	126
Total Breath:	29	51	80

^{*} Includes only samples analyzed using the revised protocol

There was a subgroup of the 165 participants who were unable to complete all aspects of the study. Sixteen women ended collection of urine, saliva and diary information before the second (Monday) breath sample. Additionally, six women ceased sample and diary collection after continuing the study beyond the initial phase. The most frequent reasons subjects cited for quitting were that they were "too busy" to conduct the daily tasks through two menstrual periods. Other subjects dropped-out because they were TDY or deployed to the Persian Gulf (poor refrigeration access), supervisor objection or samples were discarded by others (and not repeated by the subjects). Three subjects had to be excluded because they became pregnant, and one had to be excluded because they decided to start taking oral contraceptives after initiation of the study.

In order to facilitate the collection of urine and saliva samples and their return to NIOSH, participants were given a toll-free number and asked to call Dr. Kesner with any questions and to also alert him when samples were obtained thru to menses. The process for returning samples was also facilitated by the provision of a mailing kit, complete with an air bill and written instructions for FED-X overnight return mailing. Despite these efforts, urine/saliva samples collected by eight subjects were reportedly "lost in the mail" and could not be recovered despite subsequent tracking efforts. Seven women supplied diaries for a portion of the time they collected urine and saliva; diary information was concurrent with at least one menstrual period in most instances.

SOW Item #4 - Year 02:

4. Abstract military personnel and occupational history data for validity subanalysis (month 16).

Abstraction of job code information, i.e., Air Force Service Codes (AFSCs) and Occupational Series (OSs), from Air Force database lists has been completed. In order to collect these data, job codes linked to exposure were supplied to Air Force database managers. Women at each base with the identified job codes plus women in additional jobs designated as possibly exposed by local Bioenvironmental Engineering personnel were listed as potential study recruits. Lists of women without fuel exposure were also identified by AF database managers and Bioenvironmental Engineering personnel. Dates associated with the AF job code lists were provided. Participant-reported job history information, i.e., AFSCs/OSs and duration of employment in current jobs, was also obtained. Both participant-reported and military job code data and duration of employment information have been entered into a University of Cincinnati database in preparation for the subanalysis described below.

SOW Item #5 - Year 02:

5. Conduct validity subanalysis: questionnaire vs. military records and prepare validity subanalysis report (months 18-21).

A subset of AF bases supplied military database records of AFSCs/OSs held by subjects during the 12 months preceding implementation of the study at the respective sites. The availability of this group permitted a comparison of subject-reported and military record data. The military records of AFSCs/OSs were considered to be the "gold standard" against which the AFSCs/OSs reported by participants during the corresponding time frame were compared. The results are described in Table 6.

Table 6

Number and Percent Agreement between Subject-reported & Air Force Database-recorded Job Codes (AFSCs/OSs)* by Time Interval between Record and Interview

Agreement Category:	AFSC	C/OS sans Skill Level
Agree on Job Code:	Numb	er (%)
Interval <1 to 6 mo.	16	(73%)
7 to 12 mo.	8	(100%)
Disagree on Job Code:		
Interval <1 to 6 mo.	6	(27%)
7 to 12 mo.	0	(0%)

^{*} subset includes participants for whom both military record and subjectreported data were available

Skill levels are encoded as one of the digits in the AFSC. Changes in skill levels within the same job (AFSC) may or may not reflect an accompanying alteration in exposure levels. Some of the military women reported their AFSCs without specifying the skill levels. In other cases, the recorded and reported AFSCs disagreed because the subjects did not characterize skill levels changes, which they may consider to be promotions or demotions, as job changes. Many of the women reported higher skill levels than those that appeared on the dated AFSC lists; this probably reflects true changes in skill levels. For this reason, agreement is greatly improved when skill level is not compared (see Table 6). The implication is, when obtaining historical job information, AF participants must be specifically asked about changes in both their AFSC and skill level.

SOW Item #7 - Year 02:

7. Prepare year 02 summary report (months 22-24).

Year two report is completed with this document.

Conclusions:

Our goal of obtaining exposure and hormone data from a racially balanced sample of 100 exposed and 100 unexposed women has been partially attained.

Efforts to remedy the situation have included extensive unbudgeted travel and revision of our breath analysis protocol and a request for additional funds from DoD that was denied. Three additional AFBs have been targeted for recruitment, if funding becomes available. An investment of \$25,000 would permit us to continue the recruitment phase of this important study and fully meet our scientific objectives.

List of Paid Personnel:

Grace K. Lemasters, PhD
James Lockey, MD, MS, Co-investigator
Susan Simpson, MS, Project Coordinator
Donna Olsen, PhD, Research Associate
Dennis Meyer, MS, Analysis Contractor
Graduate Student Helpers (varies)
Three Interview Contractors

References:

- MacNaughton MG & Uddin DE, 1984. Toxicology of Mixed Distillate and Highenergy Synthetic Fuels. <u>In</u> Mehlman MA: Hemstreet III GP; Thorpe JJ; Weaver NK, eds. Advances in Modern Environmental Toxicology. Volume VII. Renal Effects of Petroleum Hydrocarbons. Princeton: Princeton Scientific Publishers, Inc.
- 2. Public Health Service (PHS), U.S. Department of Health and Human Services, Agency for Toxic Substances and Disease Registry. Toxicological Profile for Gasoline, 1995.
- 3. Public Health Service (PHS), U.S. Department of Health and Human Services, Agency for Toxic Substances and Disease Registry. Toxicological Profile for Fuel Oils, 1993.
- 4. Page N & Mehlman MA. Health Effects of Gasoline Refueling Vapors and Measured Exposures at Service Stations. Tox. Ind. Health, 1989; 5; 869-890
- 5. Puhala E, Lemasters G, Smith L, Talaska G, Simpson S, Joyce J, Trinh K, Lu J. Jet fuel exposure in the United States Air Force. <u>Applied Occupational and Environmental Hygiene</u> 12(9):606-610, 1997.

APPENDIX I:



U.S.A.F. JET FUEL HEALTH PROJECT PROTOCOL DAILY SALIVA COLLECTION INSTRUCTIONS

SALIVA COLLECTING PLAN:

For this study, you will start collecting your saliva tomorrow morning. You will continue collecting your early morning saliva samples every day through your next full menstrual cycle and for 2-3 days after your second menstrual period has ended. This is the same schedule as for collecting urine samples, as shown on the time line on the last page.

You should **use the gum** to collect your saliva **BEFORE** you eat, drink, or brush your teeth. If you must collect your saliva sample after eating, drinking, or brushing your teeth, wait at least 30 minutes after these activities and then collect the saliva.

Call Dr. James Kesner, the Study Laboratory Director (800-870-0201), if you ever have any questions. Also call him when you have finished collecting all your saliva samples.

THE SUPPLIES that you will receive today for daily saliva collection are:

- 1 cardboard box containing 84 labeled & capped vials & 1 plastic pearl
- 6 packs (90 sticks) of CareFree Sugarless gum

WHEN YOU RECEIVE YOUR SUPPLIES:

- The saliva sample vials are arranged in the box in rows by week; the vials in the top row are for this week. Vials for all the Sunday samples are in the left column, and so on. The vials for the last 2 weeks are arranged side-ways along the right side of the box. (Please see the diagram on last page).
- Look at the label on the very first vial in the top-left corner. The label contains:
 - · your Study ID number,
 - the Sample # (this vial is for Sample #1),
 - the day of the week (this vial is for Sunday),
 - space to write the date(__/__/9_),
 - a jet icon and an arrow.
- Start with the top row of vials on the left corner and remove the vials up to and including the vial for today, i.e., if today is Thursday, remove the first 5 vials for Sunday through Thursday. These vials you remove are extras. You may store them in case you lose or need a spare vial.
- When you get home, remove tomorrow's vial and put it in the bathroom with the
 urine vial and collection cup, where they will remind you to collect your samples
 early tomorrow morning.

COLLECTING SALIVA:

- 1. Always store the sample box containing samples in the **freezer**.
- 2. Before you go to bed, take the next morning's vial out of the sample box in the freezer. You can transfer the pearl to the next vial cap to mark your place. Place the vial in the bathroom, ready for saliva collection when you awake in the morning. Make sure the vial label matches tomorrow's day of the week.
- 3. When you get up for the day, before you eat, drink, brush your teeth, or apply lipstick, rinse your mouth out well with water.
- 4. **Wait about 5 minutes.** While you are waiting, start chewing a stick of the Care-Free Sugarless gum. **Please use the gum, even if you don't need to.** Get the saliva vial with today's day of the week on the label. Take the lid off of the tube.
- 5. After about 5 minutes has passed, and while still chewing the gum, begin to collect saliva by spitting into the tube. You will need to do this for about 2-5 minutes to collect saliva up to the arrow on the label, not counting bubbles. This is about 2 milliliter (less than 1 teaspoon) of saliva. Looking into a mirror as you collect the first couple samples may make collection easier. Holding the vial with a tissue may make collection cleaner.
- 6. After collecting the sample, screw the cap **tightly** onto the tube.
- 7. Write the date on the sample vial's label. Use the water-proof study pen.
- 8. Write in your diary:
 - the sample # from the vial's label
 - the military time the sample was collected
- 9. Place the filled saliva vial in its slot in the sample box in the freezer and remove the next vial from the sample box. Check the label for tomorrow's day of the week and place the vial in the bathroom for your next morning sample.
- 10. Repeat this procedure for each day that you collect saliva.
- 11. Telephone Dr. Kesner, the Lab Director (800-870-0201), 1 week after your entry interview. This will allow you to discuss your study progress. Try to call between 8 a.m. & 5 p.m. eastern time. You may also leave a phone message.


Immediately telephone Dr. Kesner (800-870-0201) if you have any questions.

SPECIAL NOTES:

- Collect your saliva every morning.
- Keep all your samples frozen at all times.
- If you travel, follow the same instructions as for urine.
- Collect the saliva sample first thing in the morning, when you collect your
 urine sample. If you must collect your saliva sample after eating, drinking, or
 brushing your teeth, wait at least 30 minutes after these activities, rinse your
 mouth, and then collect the saliva. Make a note in your diary describing these
 activities. Remember: A late sample is better than no sample!
- If you do not collect saliva on a day, leave that vial empty, make a note about this in your diary, and collect your sample for the next day in the next vial, as usual.
- If you accidentally fill the wrong vial or for some other reason must change the label, note the change on the plastic area of the test tube with your water-proof study marker. Make a note about this change in your diary.
- Record military times.
- Some replacement materials (pens, gum, etc.) may be available from your Base BEE Point of Contact. If you get replacement supplies, please note this in your diary or on the 800-870-0201 number.
- Returning Your Saliva Samples: Call Dr. Kesner, the Lab Director (800-870-0201), as soon as you are sure you are having your second menstrual period. You and he will determine if you are finished collecting your study samples and coordinate shipping your samples back to the Study Lab, using the written instructions you have already received.

Be sure to immediately contact Dr. Kesner at 800-870-0201 if you have any questions or problems.

EXAMPLE of COLLECTING DAILY SALIVA SAMPLES THROUGH A FULL MENSTRUAL CYCLE



Arrangement of Vials in the Saliva Box									
Sun #1	Mon #2	Tue #3	Wed #4	Thu #5	Fri #6	Sat #7			
Sun #8	Mon #9	Tue #10	Wed #11	Thu #12	Fri #13	Sat #14			
Sun #15	Mon #16	Tue #17	Wed #18	Thu #19	Fri #20	Sat #21			
Sun	Mon	Tue	Wed	Thu	Fri	Sat		Sat	Sat
#22	#23	#24	#25	#26	#27	#28		#77	#84
Sun	Mon	Tue	Wed	Thu	Fri	Sat		Fri	Fri
#29	#30	#31	#32	#33	#34	#35		#76	#83
Sun	Mon	Tue	Wed	Thu	Fri	Sat		Thu	Thu
#36	#37	#38	#39	#40	#41	#42		#75	#82
Sun	Mon	Tue	Wed	Thu	Fri	Sat		Wed	Wed
#43	#44	#45	#46	#47	#48	#49		#74	#81
Sun	Mon	Tue	Wed	Thu	Fri	Sat		Tue	Tue
#50	#51	#52	#53	#54	#55	#56		#73	#80
Sun	Mon	Tue	Wed	Thu	Fri	Sat		Mon	Mon
#57	#58	#59	#60	#61	#62	#63		#72	#79
Sun	Mon	Tue	Wed	Thu	Fri	Sat		Sun	Sun
#64	#65	#66	#67	#68	#69	#70		#71	#78

Page 4 of 4 - - Saliva Sample Instructions



U.S.A.F. JET FUEL HEALTH PROJECT PROTOCOL DAILY URINE COLLECTION INSTRUCTIONS

URINE COLLECTING PLAN:

For this study, you will start collecting your urine tomorrow morning. You will continue collecting your first morning urine every day through your next full menstrual cycle and for 2-3 days after your second menstrual period has ended. Please see the time-line on the last page for clarification.

Call Dr. James Kesner, the Study Laboratory Director (800-870-0201), if you ever have any questions. Also call him when you have finished collecting all your urine samples.

THE SUPPLIES that you will receive today for daily urine collection are:

- 2 cardboard boxes, each containing 42 labeled & capped vials
- 1 metal ring marker
- 2 plastic cup with pouring spout
- 1 water-proof marking pen
- 1 Styrofoam chest
- 2 freezer ice packs
- 1 instructions for shipping your samples to the Study Lab by Federal Express
- 1 Federal Express air bill & envelope
- 1 roll sealing tape

WHEN YOU RECEIVE YOUR SUPPLIES:

- Notice that the sample vials are arranged in the box in rows, week by week; the
 vials in the top row are for this week. Vials for all the Sunday samples are in the
 left column, and so on. (Please see the diagram on last page).
- Look at the label on the very first vial in the top-left corner. The label contains:
 - your Study ID number,
 - the Sample # (this vial is for Sample #1),
 - the day of the week (this vial is for Sunday),
 - space to write the date(__/__/9__),
 - a jet icon and an arrow.
- Start with the top row of vials on the left corner and remove the vials up to and including the vial for today, i.e., if today is Thursday, remove the first 5 vials for Sunday through Thursday. These vials you remove are extras. You may store them in case you lose or need a spare vial.
- When you get home, remove tomorrow's vial and put it with the plastic urine collection cup and saliva vial in the bathroom where they will remind you to collect your samples tomorrow morning.

COLLECTING URINE:

- 1. Always store the sample boxes containing samples in the **freezer**.
- 2. Each night before you go to bed, make sure you have taken the next morning's vial out of the sample box in the freezer. You can transfer the metal ring to the next vial cap to mark your place. Place the vial and plastic collection cup in the bathroom, ready for urine collection when you awake in the morning. Make sure the label on the vial matches tomorrow's day of the week.
- 3. When you get up for the day, collect some of this **first morning urination** in the plastic cup.
- 4. Carefully pour urine from the cup into the vial. Fill the vial as close to the arrow on the label as possible. Screw the lid tightly on the sample vial.
- 5. Turn the tube **upside-down three times** to mix the urine with preservative.
- 6. Write the date on the sample vial's label. Use the water-proof study pen.
- 7. Write in your diary:
 - the vial # from the sample label
 - the military time the sample was collected
- 8. Discard the urine remaining in the plastic collection cup and rinse the cup with warm water. Do <u>NOT</u> wash with soap or detergent. Place the cup upside down on clean tissue to drain for tomorrow's sample.
- 9. Place the filled urine vial in its slot in the sample box in the freezer and remove the next vial for tomorrow. Check the label for tomorrow's day of the week and place the vial in the bathroom for your next morning sample.
- 10. Repeat this procedure for each day that you collect urine.
- 11. Telephone the Dr. James Kesner, the Lab Director (800-870-0201), 1 week after your entry interview. This will allow you to discuss your study progress. Try to call between 8 a.m. & 5 p.m. eastern time. You may also leave a phone message.


Immediately telephone Dr. Kesner (800-870-0201) if you have any questions.

SPECIAL NOTES:

- Collect your urine every morning, even during your period or when you have had sexual intercourse.
- Keep all your samples frozen at all times. If this is not possible, keep them
 refrigerated or as cool as possible and then freeze them as soon as possible.
 Make notes every time that your samples are not immediately frozen.
- Collecting & freezing your daily samples during travel:
 - Take your 1) sample vials for the travel days, 2) the plastic collection cup, 3) the water-proof pen, and 4) one or more Aladdin thermoses (available upon request). These thermoses will each hold urine & saliva vials for 3 days. The thermos cap contains coolant material, so keep the thermos and samples in a freezer or refrigerator as much as possible during your travel. If possible, unscrew the thermos lid while in the freezer so the lid and samples will freeze. When you return home, place the sample vials in the freezer boxes and make notes about these activities in your diary.
 - If you are going to be traveling for a long period, use your study Styrofoam chest and ice packs to replace the Aladdin thermos. Otherwise, follow the instructions above. Call Dr. Kesner if you have questions.
- If you miss your first morning urine, collect the sample as early in the day as possible. Make a note about this in your diary. Remember: A late sample is better than no sample!
- If you do not collect urine on a day, leave that vial empty, make a note in your diary, and collect your sample for the next day in the next vial, as usual.
- If you accidentally fill the wrong vial or for some other reason must change the label, note the change on the plastic area of the test tube with your water-proof study marker. Make a note about this change in your diary.
- Record military times.
- Some replacement materials (pens, beakers, etc.) may be available from your Base BEE Point of Contact. If you get replacement supplies, please note this in your diary or on the 800-870-0201 number.
- Returning Your Urine Samples: Call Dr. James Kesner, the Lab Director (800-870-0201), as soon as you are sure you are having your second menstrual period. You and he will determine if you are finished collecting your study samples and coordinate shipping your samples back to the Study Lab, using the written instructions you have already received.

Contact Dr. Kesner (800-870-0201) If You Have Any Questions or Problems.

EXAMPLE of COLLECTING DAILY URINE SAMPLES THROUGH A FULL MENSTRUAL CYCLE



Vial Arrangement in Urine Box #1

Viai Arrangement in Office Box #1									
Sun	Mon	Tue	Wed	Thu	Fri	Sat			
#1	#2	#3	#4	#5	#6	#7			
Sun	Mon	Tue	Wed	Thu	Fri	Sat			
#8	#9	#10	#11	#12	#13	#14			
Sun	Mon	Tue	Wed	Thu	Fri	Sat			
#15	#16	#17	#18	#19	#20	#21			
Sun	Mon	Tue	Wed	Thu	Fri	Sat			
#22	#23	#24	#25	#26	#27	#28			
Sun	Mon	Tue	Wed	Thu	Fri	Sat			
#29	#30	#31	#32	#33	#34	#35			
Sun	Mon	Tue	Wed	Thu	Fri	Sat			
#36	#37	#38	#39	#40	#41	#42			

Vial Arrangement in Urine Box #2

Viai Arrangement in Office Box #2									
Sun	Mon	Tue	Wed	Thu	Fri	Sat			
#43	#44	#45	#46	#47	#48	#49			
Sun	Mon	Tue	Wed	Thu	Fri	Sat			
#50	#51	#52	#53	#54	#55	#56			
Sun	Mon	Tue	Wed	Thu	Fri	Sat			
#57	#58	#59	#60	#61	#62	#63			
Sun	Mon	Tue	Wed	Thu	Fri	Sat			
#64	#65	#66	#67	#68	#69	#70			
Sun	Mon	Tue	Wed	Thu	Fri	Sat			
#71	#72	#73	#74	#75	#76	#77			
Sun	Mon	Tue	Wed	Thu	Fri	Sat			
#78	#79	#80	#81	#82	#83	#84			



U.S.A.F. JET FUEL HEALTH PROJECT PROTOCOL

INSTRUCTIONS FOR MAILING THE SAMPLES TO THE STUDY LABORATORY BY FEDERAL EXPRESS

When you are sure you are having your second menstrual period, call Dr. James Kesner, the Study Laboratory Director, at 800-870-0201. You and he will determine if you are finished collecting your study samples and coordinate shipping your samples back to the Study Lab using the following instructions.

- 1. Prior to shipment, always keep your samples stored frozen.
- When you and Dr. Kesner decide that you have completed collecting samples, identify the next Monday, Tuesday, or Wednesday that is convenient for you to send them by Federal Express.
 <u>DO NOT</u> ship samples on a Thursday, Friday, Saturday, or Sunday.
- 3. Place all the "ice packs" in your freezer, at least over night, in preparation for shipment. If you have an empty urine sample box that has not been frozen, put that in the freezer to get it cold, too.
- 4. At least one day before the shipment, phone Federal Express (800-463-3339, option *) and schedule them to come to your home or work for free pick-up. Do not deliver your package. We have had many samples lost when participants took their package to "Federal Express."
- 5. Be prepared to provide or discuss the following information:
 - · the time for pick-up or delivery,
 - · vour home or work address.
 - the package weighs 7 pounds.
 - the shipment is government priority overnight on account number 0452-1271-8, and
 - the air bill number:
- 6. Prepare the package as described below.
- 7. Make sure that you or someone you trust hands your sample package directly to the Federal Express courier to check the air bill. Do not leave the box for Federal Express to pick-up or with someone you don't completely trust. Samples have been lost or destroyed these ways.
- 8. Make sure the FedEx courier gives you the "Sender's" copy of the air bill.
- 9. Call Dr. Kesner (800-870-0201) to confirm that the samples were picked up.

PACKAGE PREPARATION:

- 1. Remove the Styrofoam chest from the cardboard box. Place your 2 frozen urine sample boxes and the frozen saliva sample box in the Styrofoam chest. Arrange the frozen "ice packs" around the sample boxes. Fill all remaining space with wadded newspaper to keep everything firmly in place and insulated.
- 2. Place your diaries inside the Styrofoam box.
- 3. Tape the Styrofoam lid tightly shut with the sealing tape that we gave you. Place the Styrofoam box into the cardboard crate and tape it closed very securely.
- 4. Write your name, address, telephone number, and today's date on the air bill form in the highlighted spaces in the upper left-hand corner.
- 5. Remove the clear envelope's larger adhesive backing and stick the envelope to the top of the shipping crate. Insert the air bill into the envelope. **DO NOT** seal the envelope!
- 6. If you have any questions, please telephone Dr. James Kesner at 800-870-0201.

APPENDIX II

Female Reproductive Study Daily Diary

In this diary, "TODAY" means 1700 (5 pm) YESTERDAY to 1700 (5 pm) TONIGHT local time

n	a	te	3

	M	onda	ау		Τι	uesda	ау		We	dn	esc	day		Th	ursd	ay		F	Frida	ay		S	atu	ırda	ıy			Su	ında	ay	
Mr	nth	Day	Yea	r N	/Inth	Day	Yea	ar N	Inth	Da	зy	Year	M	nth	Day	Year	Mi	nth	Day	<i>,</i> γ	'ear	Mnth	D	ay	Ye	ar	Mn	th	Day	Yea	ar
				T			Π	T									1														
0	0	00	0	0	00	00	0	000	00	0	<u>_</u>	00		0	00	00	0	0	<u></u>	0	00	\odot	0	0	<u></u>	0	<u></u> (0)	<u></u>	00	000	1
1	①	T T	1	DIC	\odot	① ①	(D)	\mathbb{D}	D (I	1	①	D (I		1	① ①	① (I)	(D	1	① (C	DŒ	(D (① (I	①	① (1	① (D (DO	DŒ	(D)	D
2	2	22	2	2)(2	2	22	2	2)(2	2	2	2	22	(2)	2	22	22	2	2	2	2) (2	2	22	2	2	2)	2	2)(2)(2	2 (2	2	2)
3	3	33	3	DIG	3	33	3	3)(3	3	3	3	33	3	3	33	33	3	3	33	3) (3	3	33	3	3	3)	3	3)(3) (3	3 3	3	3
4	4	44	4	DIG	(4)	44	4	4)(4	D (4)	4	4	44		4	44	44	4	4	4	D (4	(4)	44	4	4	4)	4	4)(4) (4	4) 4	4	4
(3)	(S)	<u>5</u> 5	(5)	DIG	0	5 5	(<u>5</u>)	5) (5	5 (3)	(5)	(5)	(5) (5	(3)	(5)	(5)	55	(3)	(5)	(I)	5) (5	(3)	(5) (5	(5)	(3)	5) ((3)	<u>5</u>) (<u>5</u>) (3	5 (5	(5)	3 -
															66																
7	7	ĪŌ	7	00	00	ŌŌ	7	7) (7	0	7	7	(7) (7		$\bar{\sigma}$	77	77	1	$\bar{\sigma}$	7	7) (7	7	77	7	(T)	<u></u>	Ō(Ī(7) (DO	Ō(Ī.
(8)	<u>(8)</u>	38	3	3)(8	B (B)	® ®	B	8)(8	(B)	(8)	(B)	8 (8)	(3)	®	® ®	(8) (8)	(3)	<u>(8)</u>	(a) (a)	3) (8	<u> </u>	38	(B)	<u>a</u>	_ (3)	3	3)(B) (8	B (B)	<u>®</u> (3
															<u>.</u>																

Today's Urine Sample

1			100	ady 5 Ciliic Call	pic			
1a) Time the sample was obtained (record military time)	0000 000 000 000 000 000 000 000 000 0	0000 0000 0000 0000 0000 0000 0000 0000 0000	0000 0000 0000 0000 222 3333 4444 5555 6666 7777 8888 9999	0000 0000 0000 0000 2222 3333 4444 555 6666 07777 8888 999	0000 0000 0000 0000 2222 3333 4444 5555 6666 07777 8888 9999	0000 0000 0000 0000 2022 3333 4444 5556 6666 07777 8888 9999	222 3333 4444 5555 6666	
1b) Hours since last urination (record # of hours; 2 hrs=02)	00000000000000000000000000000000000000	00 00 00 00 00 00 00 00 00 00 00 00	00000000000000000000000000000000000000	00 00 00 00 00 00 00 00 00 00 00	00 00 00 00 00 00 00 00 00 00 00	00 00 00 00 00 00 00 00 00 00 00 00	00 00 00 00 00 00 00 00 00 00 00 00 00	
1c) Sample number on today's urine vial (record sample #)	00000000000000000000000000000000000000	00 00 00 00 00 00 00 00 00 00 00 00 00	90000000000000000000000000000000000000	97999966789 9799966789	00 00 00 00 00 00 00 00 00 00 00 00 00	00000000000000000000000000000000000000	00 10 00 10 00 00 00 00 00 00 00 00 00 0	

Today's Saliva Sample

2a) Time the sample was obtained

(record military time)

0000 0000 0000 0000 0000 0000 0000 0000 0000	0000 2222 3333 4444 5555 6666 7777 888	0000 0000 0000 0000 2222 3333 444 5555 6666 7777 8838 9939	0000 0000 0000 0000 0000 0000 0000 0000 0000	0000 0100 2222 3333 444 555 666 7777 888 999	0000 01110 2222 3333 444 555 666 666 7777 888 899	
----------------------------------------------------------------------	-------------------------------------------------------------	---------------------------------------------------------------------------------------------	----------------------------------------------------------------------	-------------------------------------------------------------------------	---------------------------------------------------------------------------------	--

For staff use only says

ID: _____ Week: ____ Page # 1

		Monday	Tuesday	Wednesday	Thursday	Friday	Saturday	Sunday
	2b) Sample number on today's saliva vial (record sample #)	00100000000000000000000000000000000000		00 11 22 33 44 56 67 78 89	00000000000000000000000000000000000000	00000000000000000000000000000000000000	00000000000000000000000000000000000000	00 00 00 00 00 00 00 00 00 00 00 00 00
				Today, did yo	ou have any pro	blems with:		
	3a) Urine or saliva collection	Y 10	Y W	Y N	Y (1)	W W	YW	Y W
	3b) Sample storage or transport	Ø ®	Y (1)	(Y) (N)	Y (10)	(M) (M)	(Y) (N)	(M) (M)
	3c) Explain if YES to 3a or 3b							
	4) How many total hours did you sleep in the last 24 hrs. (hours between 1700 yesterday and 1700 today; 8 hours=08)	00 00 00 00 00 00 00 00 00 00 00 00	00000000000000000000000000000000000000	00 00 00 00 00 00 00 00 00 00 00	00000000000000000000000000000000000000	00000000000000000000000000000000000000	00 00 00 00 00 00 00 00 00 00 00 00	00 00 00 00 00 00 00 00 00 00 00 00 00
	5) Did you h	ave a cold, flu, oth	er infection or fever	of 101 or more tod	lay?			
_		Y (N)	(N)	W W	W W	Y (N)	(V) (N)	W W
	6) Were you usually today?	Hot H Warm W Comfortable M Cold © Very Cold V	Hot (H) Warm (W) Comfortable (M) Cold (C) Very Cold (V)	Hot H Warm W Comfortable M Cold © Very Cold V	Hot (H) Warm (W) Comfortable (M) Cold (C) Very Cold (V)	Hot (H) Warm (W) Comfortable (M) Cold (C) Very Cold (V)	Hot (H) Warm (W) Comfortable (M) Cold (C) Very Cold (V)	Hot (H) Warm (W) Comfortable (M) Cold (C) Very Cold (V)
		M - ves me	Today nstrual/Premensti			otoms listed bel		N = No:
_	7) Lower Abdominal Cramping	(M) (X) (N)	(M) (X) (N)	(M) (X) (N)	(M) (X) (N)	(M) (X) (N)	(M) (X) (N)	™ ⊗№
	8) Aching Back or Thighs	™ ⊗№	$\mathbb{M} \times \mathbb{N}$	$\mathbb{M} \times \mathbb{N}$	$\mathfrak{m} \otimes \mathfrak{n}$	M X N	M X N	®⊗®
_	9) Bloating and/or Pain- ful Breasts	M X N	(M) (X) (M)	M X N	(M) (X) (N)	(M) (X) (M)	(M) (X) (M)	M & N
_	10) Headache	$\mathbb{M} \otimes \mathbb{N}$	(M) (X) (N)	M X N	MX (N)	(M) (X) (M)	(M) (X) (M)	$\mathbb{M} \otimes \mathbb{N}$
	11) Nausea	(M) (X) (M)	₩ X W	(M) (X) (M)	(M) (X) (M)	(M) (X) (M)	$\mathbb{M} \otimes \mathbb{M}$	(M) (X) (N)
	12) Loss of Appetite	(M) (X) (M)	M X M	(M) (X) (M)	(M) (X) (N)	(M) (X) (N)	(M) (X) (M)	M X N
_	13) Diarrhea	(M) (X) (N)		®⊗®		(M) ⊗ (N)	(M) (X) (N)	$\mathbb{M} \times \mathbb{N}$
			ır you i		n any of the abo	ve, answer #14-	·# 10;	

For staff use only कार्

ID: _____ Week: ____ Page # 2

, ,	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday	Sunday
4) Did you	ı need to LIE DOWN	due to any of the	above menstrual/pr	emenstrual sympto	oms today?		Site of the site o
	YW	Y (N)	Y N	(Y) (N)	W W	(M) (M)	YN
					L		
) Did yoι	MISS WORK due to	o any of the above	menstrual/premens	trual symptoms to	day?		
	Y (N)	Y W	W W	₩.	W W	Y N	(N)
							_
i) Did you	ı take prescription o	-	I		1	1	
	Y N	Ø (N)	Y (1)	W W	Ø ®	Ø ®	Ø ®
) Did vo	ı START taking any	(OTUED) proceribe	od or non-proscriber	d medication(s) or	eunnlemente todav	2	
	please list the medi		tu of flori-prescriber	a medication(s) or	supplements today	-	
	(Y) (N)	(Y) (N)	(Y) (N)	T N	Y N	Ø ®	(A)
) Did yoι	ı have any MENSTR	UAL BLEEDING or		(If NO go directly		T	
	Y (N)	(Y) (N)	Y W	W W	(Y) (N)	Y (N)	Ø ®
\ Llave wa	any TAMBONS and	CANITADV NADIVIN	IS did you uso todo	y? (2 Sanitary Na	ankine – 02)		
) HOW IT	any TAMPONS and	SANITARY NAPKIN	5 did you use today	y: (2 Saintary Na	apkins = 02)		
	00	00	00	00	00	00	00
	①① ②②	① ① ② ②	① ① ② ②	① ① ② ②	①① ②②	①① ②②	①① ②②
	33	33	33	33	33	33	33
	4 4 5 5	44 55	· 44 55	(4) (5) (5)	4 4 5 5	4 4 5 5	44 55
	66	66	66	66	66	66	66
	77	77 33	77	77 88	77 88	77 88	(7) (8)
	8 8 9 9	99	99	99	99	99	99
) What is the	Spotting (1)	Spotting ①	Spotting ①	Spotting (1)	Spotting ①	Spotting ①	Spotting ①
MOUNT	Light ②	Light ②	Light ②	Light ②	Light ②	Light 2	Light ②
OOD?	Moderate ③ Heavy ④	Moderate ③ Heavy ④	Moderate ③ Heavy ④	Moderate ③ Heavy ④	Moderate ③ Heavy ④	Moderate ③ Heavy ④	Moderate ③ Heavy ④
			-		licaty D	licary C	
) Dia yol	have any LEAKAG		· · · · · ·		YN	(Y) (N)	(Y) (N)
	Y W	(Y) (N)	M M	Y (1)			
) Did					T		
u	(Y) (N)	Ø Ø	O W	(Y N	(M.)	Ø ®
IOKE day?		22 25) Places	Record the Nun	mbor of Cigaret	tee and Cigare	Smoked Today	
NO go		CF=Charco		F=Regular Filtered	•	Cl=Cigars	
#27)	CF RF CI	CF RF CI	CF RF Ci	CF RF CI	CF RF CI	CF RF CI	CF RF C
			000000				
	0	യെയെയ	\Box	\bigcirc	\bigcirc	\bigcirc	00000
	22222	222222	22222 3323	222222	222222	QQQQQQ	22222
	44444	444444	333333 444444	44444	44444	444444	4444
	55555	55555	55555	55555	55555	55555	5555
	000000000000000000000000000000000000	& & & & & & & & & & & & & & & & & & &	66666 777777	0	\mathcal{O}	\mathcal{O}	\mathcal{O}
	88888	88888	88888	88888	88888	88888	8888
	99999	1999999	999999	99999	199999	M	<u> </u>
4_4	uaa ankumemen			ır	5 .	Wook:	Page #

For staff use only ☞☞☞

ID:	Week:	Page #

	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday	Sunday
2 6) IF :	your BREATH was SA	AMPLED today, wha	at time was your las	et cigarette or cigar	before the sample?	record military	time)
	0000 01010 2222 3333 4444 6555 6666 7777 8888 999	0000 0100 0000 0100 222 3333 4444 5555 6666 7777 888 999	0000 01110 222 3333 4443 655 666 7777 888 999	0000 0100 0222 3333 4444 555 666 0777 888 999	0000 0101 2222 3333 4444 555 666 7777 888 999	0000 01010 222 3333 4444 5666 7777 888 900	0000 0000 0000 0000 0000 0000 0000 0000 0000
27-28)	How many HOURS w	•			oday? alf hour, e.g. 7.5 hour	s; otherwise, leave b	olank)
(2 hrs = 02)	Work Home	Work Home	Work Home	Work Home	Work Home	Work Home 5	Work Home
29-31)	Did you drink any CA	AFFEINATED coffee	drinks, tea, or soda	a today? If YES: I	ist total number of o	ounces (oz) of:	
	(N)	8 oz. = regular coffee	e cup; 12 oz. = mug, i	regular bottle or can	(Do NOT include of	lecaffeinated drinks) (Y) (N)	(Y) (N)
(2 oz. = 02)	000000 0101010 22222 333333 44444 5555 66666 777777 88888	00000000000000000000000000000000000000	000000 1100000 22233333 4446 666666 77770	0000000 111110 22222 333333 4444 5555 66666 6777777	Coffee Tea Soda 0 0 0 0 0 0 0 0 1 1 1 1 1 1 2 2 2 2 2 2 3 3 3 3 3 3 4 4 4 4 4 4 5 5 5 5 5 5 6 6 6 6 6 6 7 7 7 7 7 7 7 8 8 8 8 8 8 9 9 9 9 9	0000000 1111010 22222 333333 44444 55555 66666 777777	111111 22222 333333 44444 5555 6666 6777777
32) Hov	v many DRINKS of Al	LCOHOL did you co	onsume today (e.g.	wine, beer, liquor)?	(List the total nu	ımber of drinks)	
(2 drink = 02)	\$ 00 00 00 00 00 00 00 00 00 00 00 00 00	00 00 00 00 00 00 00 00 00 00 00 00 00	00 00 00 00 00 00 00 00 00 00 00 00 00	90000000000000000000000000000000000000	00 10 20 30 40 60 60 70 80	00 10 20 30 40 60 60 70 80	00 00 00 00 00 00 00 00 00 00 00 00 00
33-38) (On a scale of zero to		. no mood swings =	0 - 1 - 2 - 3 - 4 = seve	re mood swings		
Irritability Depression Tension Energy le	on 01234 01234	01234 01234 01234 01234 01234 01234	0 1 2 3 4 0 1 2 3 4	0 1 - 2 - 3 - 4 = very (0 1) 2 3 4 (0 1) 2 3 4 (0 1) 2 3 4 (0 1) 2 3 4 (0 1) 2 3 4 (0 1) 2 3 4 (0 1) 2 3 4 (0 1) 2 3 4 (0 1) 2 3 4 (0 1) 2 3 4 (0 1) 2 3 4 (0 1) 2 3 4 (0 1) 2 3 4 (0 1) 2 3 4 (0 1) 2 3 4 (0 1) 2 3 4 (0 1) 2 3 4 (0 1) 2 3 4 (0 1) 2 3 4 (0 1) 2 3 4 (0 1) 2 3 4 (0 1) 2 3 4 (0 1) 2 3 4 (0 1) 2 3 4 (0 1) 2 3 4 (0 1) 2 3 4 (0 1) 2 3 4 (0 1) 2 3 4 (0 1) 2 3 4 (0 1) 2 3 4 (0 1) 2 3 4 (0 1) 2 3 4 (0 1) 2 3 4 (0 1) 2 3 4 (0 1) 2 3 4 (0 1) 2 3 4 (0 1) 2 3 4 (0 1) 2 3 4 (0 1) 2 3 4 (0 1) 2 3 4 (0 1) 2 3 4 (0 1) 2 3 4 (0 1) 2 3 4 (0 1) 2 3 4 (0 1) 2 3 4 (0 1) 2 3 4 (0 1) 2 3 4 (0 1) 2 3 4 (0 1) 2 3 4 (0 1) 2 3 4 (0 1) 2 3 4 (0 1) 2 3 4 (0 1) 2 3 4 (0 1) 2 3 4 (0 1) 2 3 4 (0 1) 2 3 4 (0 1) 2 3 4 (0 1) 2 3 4 (0 1) 2 3 4 (0 1) 2 3 4 (0 1) 2 3 4 (0 1) 2 3 4 (0 1) 2 3 4 (0 1) 2 3 4 (0 1) 2 3 4 (0 1) 2 3 4 (0 1) 2 3 4 (0 1) 2 3 4 (0 1) 2 3 4 (0 1) 2 3 4 (0 1) 2 3 4 (0 1) 2 3 4 (0 1) 2 3 4 (0 1) 2 3 4 (0 1) 2 3 4 (0 1) 2 3 4 (0 1) 2 3 4 (0 1) 2 3 4 (0 1) 2 3 4 (0 1) 2 3 4 (0 1) 2 3 4 (0 1) 2 3 4 (0 1) 2 3 4 (0 1) 2 3 4 (0 1) 2 3 4 (0 1) 2 3 4 (0 1) 2 3 4 (0 1) 2 3 4 (0 1) 2 3 4 (0 1) 2 3 4 (0 1) 2 3 4 (0 1) 2 3 4 (0 1) 2 3 4 (0 1) 2 3 4 (0 1) 2 3 4 (0 1) 2 3 4 (0 1) 2 3 4 (0 1) 2 3 4 (0 1) 2 3 4 (0 1) 2 3 4 (0 1) 2 3 4 (0 1) 2 3 4 (0 1) 2 3 4 (0 1) 2 3 4 (0 1) 2 3 4 (0 1) 2 3 4 (0 1) 2 3 4 (0 1) 2 3 4 (0 1) 2 3 4 (0 1) 2 3 4 (0 1) 2 3 4 (0 1) 2 3 4 (0 1) 2 3 4 (0 1) 2 3 4 (0 1) 2 3 4 (0 1) 2 3 4 (0 1) 2 3 4 (0 1) 2 3 4 (0 1) 2 3 4 (0 1) 2 3 4 (0 1) 2 3 4 (0 1) 2 3 4 (0 1) 2 3 4 (0 1) 2 3 4 (0 1) 2 3 4 (0 1) 2 3 4 (0 1) 2 3 4 (0 1) 2 3 4 (0 1) 2 3 4 (0 1) 2 3 4 (0 1) 2 3 4 (0 1) 2 3 4 (0 1) 2 3 4 (0 1) 2 3 4 (0 1) 2 3 4 (0 1) 2 3 4 (0 1) 2 3 4 (0 1) 2 3 4 (0 1) 2 3 4 (0 1) 2 3 4 (0 1) 2 3 4 (0 1) 2 3 4 (0 1) 2 3 4 (0 1) 2 3 4 (0 1) 2 3 4 (0 1) 2 2 3 4 (0 1) 2 2 3 4 (0 1) 2 2 3 4 (0 1) 2 2 3 4 (0 1) 2 2 3 4 (0 1) 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	0 1 2 3 4 0 1 2 3 4	01234 01234 01234 01234 01234 01234	01234 01234 01234 01234 01234 01234
For sta	ff use only ಡ್ಡ್			ID	:	Week:	Page # 4

(39) Did you work	Monda	/ Tue:	sday	Wedn	esday	Thur	sday	Frie	dav	Satu	ırday	Sun	dav
at the base	YN	<u></u>	®	 ⊙			®	(Y)			N)		(N)
today?													
40) If YES: 	How many 10	TAL HOURS di (Darken "5" bu	a you wori bble on rig	k today, ir ht if total l	iciuaing c hours inclu	iasses? ides an ac		o to #44.) alf hour, e.	g. 7.5 houi	rs; otherw	ise, leave b	olank)	
(2 hrs = 02)	90 90 90 90 90 90 90	5 (0) (1) (2) (3) (4) (6) (6) (7) (8) (9)	6 000000000000000000000000000000000000	6 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	6 0 1 2 3 4 5 6 7 8 9	© (1) (2) (3) (4) (5) (6) (7) (8) (9)	6 0 1 2 3 4 6 6 7 8 9	© T 2 3 4 6 6 7 8 9	6 0 1 2 3 4 6 6 7 8	(0) (1) (2) (3) (4) (5) (6) (7) (8)	6 0 1 2 3 4 5 6 7 8 9	0 7 9 9 9 9	1) 2) 3) 4) 5) 6) 7)
1 41) What Si	HIFT did you v		(If worked							D	<u> </u>	n	
; 1 1	Evening (D Day E Even Night		Day Eveni Night		Day Eveni Night	_	Day Eveni Night	D E N	Day Eveni Night		Day Eveni Night	_
42) In what	SHOP or OFF	ICE did you we	ork today?	(recor	d name o	f shop or	office)						
:													
[⊥] ¹ 43) Did vou	perform an u	nusual JOB or	JOB ACT	IVITY(IES) today?	(If yes, o	describe i	ob or acti	/ities)	J			
!	YN		N	<u>(T)</u>			N	(Y)		Y	N	(Y)	(N)
! ! !						<u></u>							
!				<u></u>									
44) Did you 	SMELL FUEL	in the air toda	ny?	(Y)	N	(Y)	N	(Y)	N	(Y)	N	(Y)	(N)
45) IF YES:		L FUEL while	at work, o			l (If NO, go	to #49)			1			
, ,	Work (W Work O Outsi	W	Work Outsi	W	Work Outsi		Work Outsi	de (O)	Work Outsi	W de O	Work Outsi	W =
!		B Both	B	Both	B	Both	B	Both	B	Both	B	Both	B =
46-47) How	many HOUR	S were you exp		sical – TVI	PICAL leve	als of FIII	=1 in the s	ir todav?					
!		(5.1. ((5.1.)	Hig	her = HIG	HER than	USUAL I	evels of F	UEL in the				alamie)	
!	Typical Hi	<i>(Darken "5" bu</i> gher	Higher	nt if total i	Higher	Typical	Higher	Typical	g. 7.5 noui Higher	Typical	Higher	Typical	Higher
(2 hrs = 02)		5 <u> </u>	00										
!			(D)	00	00								①① —
1	ത്രമാ മ	മ മമ	മവ	@@		①① ②②	① ①	① ①	① ① ② ②	①① ②②	(1) (1) (2) (2)	①① ②②	(4)(4)
<u> </u>	22 2 3 3 3 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	2 2 2 3 3 3	2 3 4	22 33	22 33	22 33	11 22 33	(1) (1) (2) (2) (3) (3)	22 33	22 33	22 33	22 33	22 33 44
	3 3 3 4 4 4 6 5 5 5 5 6 6	2 2 2 3 3 3 4 4 4 5 5 5	33 44 55	2 3 3 4 5 5	2 3 3 4 5 5	22 33 44 55	11 22 33 44 55	11 22 33 44 55	2 3 3 4 5 5	22 33 44 55	22 33 44 55	22 33 44 55	3 3 4 4 5 5
	33 3 44 4 55 5 66 6 77 7	2 2 3 3 3 4 4 4 5 5 5 6 6 6 7 7 7	3 4 5 6 7	23 34 56 7	23 34 56 77	23 45 67	1 2 3 4 5 6 7	(1) (1) (2) (3) (4) (6) (6) (7)	23 34 56 7	2 3 4 5 6 7 7	22 33 44 56 67	23 34 56 7	3 3 4 4 5 5 5 6 6 7 7
	33 3 4 4 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6	2 2 3 3 3 4 4 4 5 5 5 6 6 6 7 7 7 7 8 8 8 9 9 9	3456789	23456789	2 3 4 5 6 7 8 9	Q 3 4 5 6 7 8 9	11 22 33 44 56 67 88 9	1 2 3 4 5 6	23 4 5 6	2 3 3 4 5 5 6 6	22 33 44 55 66	2 3 3 4 5 6 6	3 3 4 4 5 5 6 6
	3 3 4 4 4 6 5 5 6 6 6 6 6 6 6 6 6 6 6 6 6 6	2 2 3 3 3 4 4 4 4 5 5 5 6 6 6 7 7 7 7 8 8 8 9 9 9 9 9 9 9	3 3 4 4 5 5 6 6 7 7 8 8 9 9	23456789	22 33 44 55 66 77 88 99	Q 3 4 5 6 7 8 9	11 22 33 44 55 67 89	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	29 33 44 55 67 89	2 3 3 4 5 6 7 7 8	22 33 44 55 66 77 88 99	2 3 4 5 6 7 8	33 44 55 66 77 88 99
48) How ma	3 3 3 4 4 4 6 5 5 5 6 6 6 6 6 6 6 6 6 6 6 6 6	2 2 3 3 3 4 4 4 5 5 5 6 6 6 7 7 7 9 8 8 8 9 9 9 d you wear a r	33 44 55 66 77 88 90 espirator 1	29 33 44 55 60 70 89 oday?	2 2 3 3 4 4 5 5 6 6 7 7 8 8 9 (record to	2 (2) (3) (4) (4) (5) (6) (7) (8) (9) (14) (14) (14) (14) (14) (14) (14) (14	11 22 33 44 66 77 89)	19 9 9 9 9 9 9 9	23 44 56 78 9	22 33 44 55 66 77 88 9	22 33 44 56 66 77 80 9	2 3 4 4 5 6 7 8 9	33 44 56 67 89 9
	33 3 3 4 4 4 6 5 5 5 6 6 6 6 6 6 6 6 6 6 6 6 6	2 2 3 3 3 4 4 4 5 5 5 6 6 6 7 7 7 7 8 8 8 9 9 9 9 0 0 0 0 0 0 0 0 0 0 0 0 0	33 44 55 66 77 89 espirator t	23345567883 oday?	22 33 46 56 70 89 (record to	2 3 4 5 6 7 8 9 stal hours	102334566789 00122	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	23 46 60 80 60 60 60 60 60	2 3 3 4 5 6 7 8 9	233 445 667 83 601 2	2 3 4 5 6 7 8 9	33 44 56 67 89 9
	33 3 4 4 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6	2 2 3 3 3 4 4 4 4 5 5 5 5 6 6 7 7 7 8 8 8 9 9 9 d you wear a r c c c c c c c c c c c c c c c c c	33 44 56 67 89 espirator t	234956789 oday?	2 2 3 3 4 4 5 6 6 7 7 8 9 9 (record to 2 3 4 4)	② ③ ③ ④ ④ ⑤ ⑥ ⑥ ⑦ ⑦ ⑥ ⑥ ⑨ ⑤ Ital hours	1 2 3 4 6 6 7 8 9 6 1 2 3 4 6 6 7 8 9 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	23466786 6786 6786 6786 8	2334566788 6788	23 44 66 67 83 60 60 60 83 4	23496789 23496789	39 49 69 69 9 9 9 9 9
	33 3 4 4 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6	2 2 3 3 4 4 4 5 5 5 5 6 6 7 7 8 8 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	3 4 6 6 7 8 9 espirator t	23456789 coday?	23346667889 (record to	23445667889 hall hours	1 2 3 4 6 6 8 9 6 9 6 9 9 6 9 9 6 9 9 6 9 9 6 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	00000000000000000000000000000000000000	23466789 6 0023466	23456789 0789	234666789 5 0004666789	23466789 23466789	3466 6789 60723466
	33 3 4 4 5 5 6 6 6 7 7 8 8 8 9 7 7 8 8 9 7 7 8 8 9 7 7 8 8 9 8 9	2 2 3 4 4 5 5 6 6 7 7 8 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	3456080 espirator 1	03456789 oday?	2334666789 (record to	23456789 tal hours	193466789 60789 60789 60789		23466786 60786 60786 80786 80786 80786 80786 80786 80786 80786	Q3456789 Q3466789	23466789 	Q3466789 Q3466789	3 4 5 6 7 8 9 6 1 0 1 2 3 4 5 6 7 8 9
(2 hrs = 02)	33 44 65 66 66 70 88 89 80 80 80 80 80 80 80 80 80 80 80 80 80	2 2 3 3 4 4 4 4 5 5 5 6 6 6 7 7 7 8 8 8 9 9 d you wear a r s 5 6 7 6 6 7 6 6 7 6 6 7 6 6 7 6 6 7 6 6 7 6 6 7 6 6 7 6 6 7 6 6 7 6 6 7 6 6 7 6 6 7 6 6 7 6 6 7 6 6 7 6 6 7 6 6 7 6 6 7 6 6 7 6 6 7 6 7 6 7 6 7 6 7 6 7 6 7 6 7 6 7 6 7 7 6 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	3 4 6 6 7 8 9 espirator t 6 7 8 9 6 6 7 8 9 7 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	03456789 oday?	23346667889 (record to	23456789 tal hours	103466789 60123466789		23456789 	23456789 0789	03466789 607234667867	23466789 23466789	3466789 6072346678

į

	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday	Sunday
49) Did you	r skin come into co	ntact with liquid FU	JEL today? (If NO	D, go to #53)			
	Y N	<u> </u>	Ŷ®	<u> </u>	YN	YN	Y N
50) Was FU	EL on your SKIN wi					I	
	(Darke	en "5" bubble on rigl Work W	ht if total hours inclu Work W	des an additional ha	If hour, e.g. 7.5 hours Work W	s; otherwise, leave b Work W	lank) Work (W)
Ξ	Outside (1) Both (B)	Outside (D) Both (B)	Outside (0) Both (B)	Outside (1) Both (B)	Outside ① Both B	Outside (1) Both (18)	Outside (D) Both (B)
51) How many hours was FUEL on your SKIN today? (1 hr = 01; 0 hrs = 00)	6 000000000000000000000000000000000000	6 000000000000000000000000000000000000	6 00 00 00 00 00 00 00 00 00 00	6 00 00 00 00 00 00 00 00 00	(5) (0) (0) (1) (2) (2) (3) (4) (6) (6) (6) (7) (8) (9) (9) (9) (9) (9) (9) (9) (9) (9) (9	(5) (0) (1) (2) (3) (4) (5) (6) (6) (7) (8) (9)	6 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
52) How many HOURS did you wear GLOVES or COVERALLS today? (2 hrs = 02; 0 hrs = 00)	6 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	6 000000000000000000000000000000000000	6 000 000 000 000 000 000 000 000 000	6 000000000000000000000000000000000000	6 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	(B) (D) (D) (D) (D) (D) (D) (D) (D) (D) (D	6 97094660089
53) How ma	ny MINUTES were y	ou exposed to exh	aust today?				
(5 min = 005; 0 min = 000)	000 0100 222 333 444 555 666 777 888 999	000 0100 222 333 444 556 666 777 889 999	000 0100 222 333 444 556 660 770 880 99	000 0100 222 333 444 555 666 777 888	000 0100 222 333 444 555 666 777 880	000 010 222 333 444 555 666 777 888 99	000 010 100 222 333 444 555 666 777 888 90
	ny HOURS were you greasing cleaner, glud					uer)	
, ,				des an additional hal			
(2 hrs = 02; 0 hrs = 00)	\$ 000 000 000 000 0000 0000 0000 0000	(S) (O) (O) (O) (O) (O) (O) (O) (O) (O) (O	(a) (b) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c	(a) (b) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c	(a) (b) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c	(a) (b) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c	6 00 00 00 00 00 00 00 00 00 00 00 00 00
55) How mar	ny HOURS was your	r <u>skin in contact</u> wit	th SOLVENTS or PE	ESTICIDES today?	killer varnieh laccu	ıer)	
(2 hrs = 02; 0 hrs = 00)	6 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	(a) (b) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c	(a) poish remover, of (a) (b) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c	(a) (b) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c	(inter, varnish, facquing for the following for	(a) (b) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c	(5) (0) (1) (2) (3) (3) (4) (4) (5) (6) (7) (8) (9) (9) (9) (9) (9) (9) (9) (9) (9) (9
For staff use	e only क्षाक	•		ID:	V	Veek:	Page # 6

	Mon	day	Tı	ues	day	W	edn	esda	y	Th	urs	day		Fr	iday	,	S	atu	rday		Sı	ında	ıy	
56) How ma	any FLIGH	TS of ST	AIRS d	id yo	ou climb	toda	у?	(assu	ıme	10 sta	irs p	er fligh	ıt)											_
(5 flights = 005)	(a) (b) (c) (d) (d) (d) (d) (d) (d) (e) (d) (e) (e) (e) (e) (e) (e) (e) (e) (e) (e	1 2 3 4 5 6 7 8		0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	1) 2) 3) 4) 5) 6) 7) 8)		12345678	0 1 2 3 4 6 6 7 8 9			9 9 9 9 9 9 9 9 9 9 9 9 9	1) 2) 3) 4) 5) 6) 7) 8)		1 2 3 4 5 6 7				000000000000000000000000000000000000000	1 2 3 4 5 6 7 8			0 0 1 1 2 2 3 3 4 4 5 5 6 6 7 7 8 8 9 9		
57-58) How many MILES did you (2 mi = 02; 0 mi = 00)	(1) (2) (3) (3) (4) (5) (6) (6) (7) (7) (8)	Run 5 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	Wal	(S)	Run 5 0 0 1 1 1 1 1 2 2 2 3 3 4 4 5 5 6 6 7 7 8 8 9 9 9	W 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	1) 2) 3) 4) 5) 6) 7) 8)	Ru 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	(S)	Wal 0 0 0 1 1 0 2 2 3 3 3 4 4 5 5 6 6 6 7 7 7 8 8 9 9	(5) (1) (1) (1) (1) (1) (1) (1) (1) (1) (1	Run 0 0 0 1 1 2 2 2 3 3 4 4 4 5 5 6 6 7 7 8 8 9 9		Walk 0 0 1 1 2 2 3 3 4 4 5 6 7 7 8 8 9 9		10345678	Wal 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	5	Run 000 010 22 33 44 55 66 77 88	5	Walk 000 102 304 566 77 809	5 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	Run (9) (1) (2) (3) (4) (5) (6) (7) (8) (9)	
59) How many MINUTES did you RUN today? (10 min = 010)	(1) (1) (2) (3) (4) (5) (6) (7) (8) (7) (8)	00 10 22 33 44 56 67 78 89		1 2 3 4 5 6 7 8	0 0 1 0 2 2 3 3 3 4 4 5 5 6 6 7 7 7 8 8 9 9 9		12345678				10000000000000000000000000000000000000	0 0 1 1 1 2 2 3 3 3 4 4 5 5 6 6 7 7 8 8 9 9 9				① ② ③ ④ ⑤ ⑥ ⑦ ⑧		10345678	00 00 00 00 00 00 00 00 00 00 00 00 00			0 0 1 1 2 2 3 3 4 4 5 5 6 6 7 7 8 8 9 9	12345678	
60-61) Toda	• /		•		URS dic	-		-						-										
	10 22 33 44 55 66 77 88	00 10		(S)	off work 0 0 0 1 0 0 2 2 3 3 3 4 4 5 5 6 6 7 7 8 8 9 9		5 0 1 2 3 4 5 6 7		(a)	at wo 0 0 0 1 1 0 2 2 3 3 4 4 4 5 5 6 6 6 7 7 7 8 8 8 9 9	(5)		5 C	at work 0 0 1 0 2 2 3 3 4 4 5 6 7 7 8 8 9 9		© 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	at wo (0 (0 (0 (0 (0 (0 (0 (0 (0 (0 (0 (0 (0	5		(5)	at wor 0 0 0 0 1 0 2 2 3 3 4 5 5 6 7 7 8 9	5 0 1 2 3 4 5 6 7 8		k
62-63) Toda	ay,	, hov	v many	MIN	UTES o	id yo		_		-				ation or	brea	thing)	physi	ical a	activity	/?				
 	at work	off work	at wo	rk (off work	at v	•					g here) off wor		at work	off	work	at wo	ork	off wo	rk	at wor	k of	f wor	ĸ
	0000 (1)10 (2)20 (3)33 (4)45 (6)66 (7)77 (8)88 (9)99	111 22 33 34 55 66 77 88	102345 678	1 2 3 4 5 6 7 8	1 1 1 1 2 2 2 3 3 3 4 4 4 5 5 6 6 6 7 7 7 8 8 8		1) (1) 2) (2) 3) (3) 4) (4) 5) (5) 6) (6) 7) (7) 8) (8)	1 2 3 4 5 6 7 8	(1) (1) (1) (1) (1) (1) (1) (1) (1) (1)	1023345 60738	1 2 3 4 5 6 7 8	100 200 300 500 500 700 800	1 (2 (3 (4 (4 (4 (4 (4 (4 (4 (4 (4 (4 (4 (4 (4	100 122 333 44 55 66 77 88		①①②③③④④⑤⑤⑥⑥⑦⑦	1 2 3 4 5 6 7 8	000000000000000000000000000000000000000	11 22 33 45 67 8	000000000	110 22 33 44 55 60 77 88	1 (1) 2 (2) 3 (3) 4 (4) 5 (5) 6 (6) 7 (7) 8 (8)	10000000000000000000000000000000000000	
University of C	Cincinnati												Ma	ırk Reflex [©]	[®] by N	CS MM2	17588- 1	65	54321	EC)06 i	Printed	in U.S.	A. .
For staff	use only	FIFT											ID	·			_ Wee	ek:₋				_ Pag	ge#	7


	IF YOU WORKED DURING THE LAST WEEK, PLEASE ANSWER QUESTIONS #64-75 AT THE END OF YOUR WORK WEEK ① ⑤ 64) I had to work very hard this week? ① ⑥ 65) I had an excessive amount of work this week? ① ⑥ 66) I did not have enough time to get my work done this week? ① ⑥ 67) I had to do a lot of repetitive work this week? ② ⑥ 68) I had a job that allowed me to be creative this week? ② ⑥ 69) I had a job that allowed me to learn new things this week? ① ⑥ 70) I had a lot of say about what happened this week? ② ⑥ ⑦ 71) I had a lot of freedom to decide how to do my work this week? ② ⑥ ⑦ 72) I worked with helpful people this week? ② ⑥ ⑦ 73) I worked with people who took a personal interest in me this week? ② ⑥ ⑦ 74) My supervisor was helpful this week? ③ ⑥ 75) My supervisor was concerned about my welfare this week? IF YOU ARE PROVIDING A HOME BREATH SAMPLE ON A THURSDAY OR FRIDAY EVENING, PLEASE ON THE MONDAY MORNING THAT YO									
	ANSWER QUESTIONS #76 IS PROVIDED; OTHER	-79 <u>AFTER</u> THE SAMPLE WISE GO TO #80-83	PROVIDE A HOME BREATH SAMPLE, PLEASE ANSWER QUESTIONS #80-83							
	Thursday	Friday	Monday Morning							
What TIME did you collect your BREATH SAMPLE at HOME? (record military time)	Time 76) 00000 01010 2222 3333 4444 5555 6666	Time 00000 10100 2222 3333 4444 5555 6666	Time 80) 0 0 0 0 1 1 1 2 2 2 3 3 3 4 4 4 5 5 5 6 6 6 7 7 7 7							
	8 8 8 9 9 9 9	888 999	888							
	After you left work evening breath s you expos	s, prior to your ample, were	Within 24 hours prior to your Monday morning breath sample, were you exposed to:							
Calvanta fual	Time Date	Time Date	Time Date							
Solvents, fuel odors or exhausts? (if not exposed, record 0's in time & date blanks; otherwise, record date & time of last exposure before your first sample)	77)	0000 0000 00000 00000 00000 00000 00000 0000	81)							
Mouthwash, cough syrup or alcohol? (if not exposed, record 0's in time & date blanks; otherwise, record date & time of last exposure before your first sample)	0000 00000 000000 010000 0100000 000000 02222 222222 3333 33333 33333 4444 6555 6666 6666 6666 6666 6666 6666 6666 6666 6686 6686 6686 6686 6686 6686 6686 6686 6686 6686 6686 6686 6686 6686 6686 6686 6888 8888 8888	Time Date	Time Date 82)							
	79) Did you have any problems COLLECTII your THURSDAY or FRIDAY EVENING E	REATH SAMPLE?	COLLECTING, STORING, OR TRANSPORTING your MONDAY MORNING BREATH SAMPLE?							
_	If yes, please descrii	N)	If yes, please describe problem(s) ① ①							
For staff use only	THE STATE OF THE S	ID:	Week: Page # 8							

APPENDIX III

SPECIAL MEASURES FOR THE WEEK OF BREATH SAMPLING: FEMALE REPRODUCTIVE EFFECTS OF EXPOSURE TO JET FUEL AT U.S. AIR FORCE BASES

The following measures will help us to obtain accurate estimates of your fuel exposure at work. We would like you to follow them for *ONE WEEK*, i.e., from the Monday before your first breath sample until the Monday morning of your final breath sample.

- Avoid self-service refueling of your vehicle or lawn mower this week (outside of work).
- * Avoid mowing the lawn.
- Avoid smoking sections of businesses and break rooms; try to lessen your exposure to cigarette smoke from friends and relatives as much as possible, especially indoors.
- If you are an occasional smoker, please do not smoke until after the final (Monday) breath sample is provided.
- * Avoid smoke from fireplaces, grill-outs and grilled/smoked/charred foods
- Avoid using pesticides/insecticides, paints/solvents this includes fingernail polish and polish remover.
- Please avoid using products containing alcohol. Especially, 24 hours prior to your breath sample, please do not use alcohol, mouthwash or cough syrup.
- Even the best-laid plans sometimes go awry. If you are unable to avoid one or more of the exposures on this page, please tell us when you provide your breath sample. This will help us to interpret the results.
- If you live with others, please ask them to read and, if acceptable, sign the form below. Bring the signed form with you when you arrive to provide your breath sample.



TO OTHER MEMBERS OF THE HOUSEHOLD: In order to obtain an accurate picture of the subject's internal exposure to fuel while at work, we need to enlist your help. During the week of testing, you can assist us in the following ways:

Please protect her from exposure to smoke for one week during testing by:

- Helping her to avoid smoke from stoves, fireplaces or grilling food, even outdoors
- If you smoke, do so outdoors and please do not smoke when she is in the car with you
- Fuel-up the gas tank for her so she doesn't inhale the fumes
- If the lawn has to be mowed, fuel the lawn mower and mow the lawn for her
- Post-pone painting, spraying pesticides/insecticides or using solvents if she might be in the area and inhale the fumes

We realize these requests may cause some inconvenience. If you have any questions before you sign, please leave a phone message for Susan Simpson at (513) 558-0229. Include your name, phone number and days/times when you can be reached. IF YOU ARE WILLING TO PERFORM THESE MEASURES, PLEASE SIGN BELOW:

+ +++++++++++++++++++++++++++++++++++	›	·· · · · · · ·· · ··	·+·+·+·+·+·+·	

WORK WEEK PRE-BREATH S	SAMPLE CHE	CKLIS	I ID	
Record Time Left Work:	Record Date:_	_//_		
1. In the PAST 24 HOURS, that following foods?			.IF YES, RE	ECORD:
-) IVh	Yes 🖵	No □	# of Serving	gs: Eaten at (time):
a) Hamburger, cheeseburger, meatloaf	162 🗖	140 🗀		<u></u>
b) Hot dogs, lunch meat	Yes 🗆	No 🗆		

c) Whole milk	Yes 🖵	No 🗆		
d) Dayshauta applying asks matry ping	Yes 🖸	No D		
d) Doughnuts, cookies, cake, pastry, pies	i es 🖵	No 🗅		
e) Other beef	Yes 🗅	No 🖵		
-,				
f) Eggs	Yes 🖸	No 🗆	<u> </u>	
, 55	•			
g) Cheese, cheese spreads	Yes 🖸	No 🗖		
(excluding cottage cheese)				
h) Margarine or butter on bread rolls	Yes 🗆	No 🗆		
or on vegetables				
i) Other pork	Yes 🔾	No 🗆		
,			<u> </u>	
j) French fries, fried potatoes	Yes 🗅	No 🗆		
k) Snacks such as chips, popcorn	Yes□	No □		
(exclude if low fat)				
l) Bacon, sausage	Yes 🗅	No 🗀		•
, , ,				****
m) Fried chicken	Yes 🖵	No 🗅		
•				
2. In the PAST WEEK, that is, of	one week ago tod	av. did v	ou	
a)use the self-service tank when re				this week
(outside of work)? Yes □ No □	If yes, which a		_/_/_;	_/_/_;//_
b)mow the lawn? Yes \(\sigma\) No \(\sigma\)	If yes, which a		_/_/_;_	_/_/_; _/_/_
c)breathe smoke from stoves, firep	-	Yes 🗆	No 🗆	
d)eat any grilled/smoked/charred t	If yes, which a foods? Yes□	No □	_/_/_;_	_//;//
ajcat any grinton sinokon onarron	If yes, which d		//:	//;_/_
e)use pesticides/insecticides, paint	s/solvents – this	includes	fingernail pol	lish and polish
remover? Yes 🗆 No 🗅	If yes, which d	late(s):_	_//; <u></u> /_	<u>; </u>
PLEASE REMOVE SHOES, HAT, J	IACKETS:	<i>HT</i> :		<i>WT</i> :